



Certificate of Analysis

Texas CUP License # 0006
Report # TXWSR-20260625-013
Test Date 6/25/2026
Batch # TXWSR-20260625-013

Product AlaMango (Indica) - Distillate
 Cartridge - 0.5g
Manufacture Date 6/25/2026

Test Summary			Microbial Impurities		
Potency	Pass		Results (CFU/g)	Limits (CFU/g)	
Visual Inspection	Pass		<i>Campylobacter</i>	ND	100
Heavy Metals	Pass		<i>Escherichia coli</i>	ND	100
Pesticides	Pass		<i>Listeria</i>	ND	100
Microbial Impurities	Pass		<i>S. dysenteriae</i>	ND	100
Residual Solvents	Pass		<i>Salmonella</i>	ND	100
			<i>Staphylococcus</i>	ND	100
			<i>Yersinia</i>	ND	100
			TYMC	ND	10,000
			Residual Solvents		
			Results (ppm)	Limits (ppm)	
			Class I²	ND	
			Class II		
			Hexane	ND	290 ppm
			Methanol	ND	3,000 ppm
			Class III		
			Acetone	ND	5,000 ppm
			Butane	ND	5,000 ppm
			Ethanol	ND	5,000 ppm
			Heptane	ND	5,000 ppm
			Isopropanol	ND	5,000 ppm
			Pentane	ND	5,000 ppm
			Propane	ND	5,000 ppm

Signature: 
Name: Adam Richardson
Title: Lab Manager, Analytical Processing
Date: 6/30/2026

Analytical tests were performed using the following analytical equipment and associated methods: Shimadzu High Performance Liquid Chromatogram (HPLC), Shimadzu Inductively-Coupled Plasma Optical Emission Spectrophotometer (ICP-OES), and Shimadzu Gas Chromatography Mass Spectrophotometer (GC-MS).

1. A comprehensive list of all pesticides tested is available upon request.

2. A comprehensive list of all solvents tested is available upon request.

ND: Not Detected

CFU/g: Colony Forming Units per gram

TYMC: Total Yeast and Mold Count